

5 YEAR WARRANTY

POWERPLUS®
HIGH QUALITY TOOLS

XQ

POWERPLUS XQ
HIGH QUALITY TOOLS

5 YEAR WARRANTY

The quality of Powerplus XQ is highlighted by a warranty of no less than 5 years! This unique warranty advantage assures you that you made the right purchase and allows you to fully enjoy the reliability of the Powerplus XQ quality while performing countless jobs for the next 5 years.

QUALITY & DURABILITY TESTS


All our Powerplus XQ tools are carefully checked and subjected to a strict quality control. Only those Powerplus XQ tools that meet the SGS-CEBEC Quality Performance criteria are accepted by us. Varo has chosen SGS, the world leader in testing and certification, as a permanent partner for the verification of our quality. The SGS-CEBEC Quality Performance program ensures a thorough verification of various aspects such as durability, performance and safety.



5 YEAR WARRANTY

QUALITY PERFORMANCE TESTED BY SGS CEBEC





SWIVEL BALL CABLE RESTRAINT

4m RUBBER CABLE WITH BALL JOINT

Most of the XQ power tools have a 4 metre rubber cable with ball joint. The ball joint allows your electrical cable to move flexibly, which guarantees the durability of your tool. The connection of your tool with the electrical cable will not be affected by the use: the insulation in the cable will not be damaged by frequent bending and the copper wires inside will not break from stress. The 4 metre cable gives you extra freedom of movement. A supple rubber cable means that it is extremely durable and flexible. In comparison to PVC, rubber is also more resistant to grease, acids etc.



MAGNESIUM

The main part of the machine housing of most Powerplus XQ tools is made of magnesium. Magnesium is the lightweight metal of the future, extremely strong and durable. **75% lighter** than steel and **35% lighter** than aluminium. The material absorbs energy and thus ensures extra shock absorption.

INDEX

CORDLESS DRILL NiMH 14.4V

POWXQ5231

5 400338 041860

25+2 torque settings

2 speed function switch

5 YEAR WARRANTY



Forward & reverse rotation

1 extra battery pack

Soft grip

Auxiliary handle

RATED VOLTAGE	14.4V
2x BATTERY	NiMH 2000mAh
2 SPEED	0-450/0-1700min^{-1}
KEYLESS JACOBS CHUCK	13mm
CHARGING TIME	1h
MAX. TORQUE	35Nm
TORQUE SETTINGS	25+2



Including BMC

1h charger





XQ5231B

Spare battery 14.4V NiMH 2000mAh

5 400338 041884

FEATURES

- 2 BATTERIES
- IMPACT FUNCTION
- AUXILIARY HANDLE

CORDLESS DRILL NiMH 18V

POWXQ5234

5 400338 041877 >



5 YEAR WARRANTY

RATED VOLTAGE	18V
2x BATTERY	NiMH 2500mAh
2 SPEED	0-470/0-1800min^{-1}
KEYLESS JACOBS CHUCK	13mm
CHARGING TIME	1h
MAX. TORQUE	40Nm
TORQUE SETTINGS	25+2





FEATURES

- 2 BATTERIES
- IMPACT FUNCTION
- AUXILIARY HANDLE



XQ5234B

Spare battery 18V
NiMH 2500mAh

5 400338 041891 >

CORDLESS DRILL LI-ION 12V

POWXQ5243

5 400338 051647 >

5 YEAR WARRANTY

Keyless Sanou chuck with quick SDS-type system

11+1 torque settings

2 speed function switch



Forward & reverse rotation

LED light

Soft grip

Built-in bit holder

RATED VOLTAGE	12V
2x BATTERY	Li-Ion 1300mAh
2 SPEED	0-350/0-1200min^{-1}
KEYLESS SANOU CHUCK	10mm
CHARGING TIME	1h
MAX. TORQUE	30Nm
TORQUE SETTINGS	11+1



Including BMC

1h charger





1 extra battery pack



XQ5243B

Spare battery 12V Li-Ion 1300mAh

5 400338 051821 >

FEATURES

- **2 LI-ION BATTERIES**
- **LED LIGHT**
- **BUILT-IN BIT HOLDER**
- **KEYLESS CHUCK WITH QUICK SDS-TYPE SYSTEM**

CORDLESS DRILL LI-ION 18V

POWXQ5250

5 400338 052002 >

5 YEAR WARRANTY

25+2
torque settings

2 speed
function switch



LED light

Forward &
reverse rotation

Soft grip

Auxiliary handle

1 extra
battery pack

RATED VOLTAGE	18V
2x BATTERY	Li-Ion 2600mAh
2 SPEED	0-470/0-1700min^{-1}
KEYLESS JACOBS CHUCK	max. Ø13mm
CHARGING TIME	1h
MAX. TORQUE	45Nm
TORQUE SETTINGS	25+2

FEATURES

- 2 LI-ION BATTERIES
- IMPACT FUNCTION
- LED LIGHT
- BUCKLE
- MAGNETIC PLATE
- BUILT-IN BIT HOLDER
- KEYLESS CHUCK WITH QUICK SDS-TYPE SYSTEM
- AUXILIARY HANDLE

Including BMC



1h charger





XQ5250B

Spare battery 18V
Li-Ion 2600mAh

5 400338 052613 >

MULTI-USE TOOL LI-ION 12V

POWXQ5271

5 400338 051623 >

5 YEAR WARRANTY





RATED VOLTAGE	12V
BATTERY	1300mAh
BATTERY TYPE	Li-Ion
ROTATION SPEED (6 POSITIONS)	10000-20000min^{-1}
CHARGING TIME	1h

FEATURES

- **LI-ION BATTERY 1300mAh**
- **ALU GEAR BOX**
- **SOFT PAINTING**

INTERCHANGEABLE LI-ION BATTERIES

PURCHASE BOTH POWER TOOLS SO THE INTERCHANGEABLE BATTERIES ALLOW FOR CONTINUOUS USE WITH NO DOWN TIME



LI-ION

+ **no** self discharge + **no** memory effect
+ **more** energy and **better** performance
+ **environmentally friendly**

CORDLESS DRILL LI-ION 12V

CHARGING TIME 1 HOUR




MULTI-USE TOOL LI-ION 12V

CHARGING TIME 1 HOUR

IMPACT DRILL 850W

POWXQ5203

5 400338 042201



SWIVEL BALL CABLE RESTRAINT

5 YEAR WARRANTY





VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	850W
ROTATION SPEED	0-2800min^{-1}
KEYLESS PEACOCK CHUCK (METAL / PP)	max. 13mm
IMPACTS PER MINUTE	0-44800
RUBBER CABLE	4m


FEATURES

- MAGNESIUM DIE-CAST
- IMPACT FUNCTION
- SWIVEL BALL CABLE RESTRAINT
- AUXILIARY HANDLE

IMPACT DRILL 1200W

POWXQ5205

5 400338 042218 >



5 YEAR WARRANTY





VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	1200W
ROTATION SPEED	0-1000/0-2800min^{-1}
KEYLESS PEACOCK CHUCK (METAL)	max. 13mm
IMPACTS PER MINUTE	0-19000/ 0-53200
RUBBER CABLE	4m

FEATURES

- MAGNESIUM DIE-CAST
- IMPACT FUNCTION
- SWIVEL BALL CABLE RESTRAINT
- AUXILIARY HANDLE

HAMMER DRILL 520W


POWXQ5220

5 400338 051470

5 YEAR WARRANTY







VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	520W
ROTATION SPEED	820min^{-1}
IMPACTS PER MINUTE	3000
RUBBER CABLE	4m
WEIGHT	± 3.5kg



FEATURES

- MAGNESIUM DIE-CAST
- 3 FUNCTIONS: HAMMERING, DRILLING & CHISELING
- AUXILIARY HANDLE

HAMMER DRILL 1500W

POWXQ5223

5 400338 043000 >

Antivibration system



Steel depth stop

SDS-plus type chuck

5 YEAR WARRANTY


Including BMC



13mm key chuck



2 pcs SDS-plus type chisel flat 22 x 250mm & pointed 250mm



3 pcs SDS-plus type drill 8/10/12mm x 150mm


VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	1500W
ROTATION SPEED	800min^{-1}
IMPACTS PER MINUTE	3900
RUBBER CABLE	4m
WEIGHT	± 5.7kg

FEATURES

- MAGNESIUM DIE-CAST
- 3 FUNCTIONS: HAMMERING, DRILLING & CHISELING
- SWIVEL BALL CABLE RESTRAINT
- VIBRATION REDUCTION (AVS)
- AUXILIARY HANDLE



Soft grip



SWIVEL BALL CABLE RESTRAINT

HAMMER DRILL 1250W

POWXQ5226

5 400338 051487

5 YEAR WARRANTY

Double antivibration system

Soft grip

SDS-max type chuck



Including BMC

Double antivibration system



2 pcs SDS-max type chisel flat 25 x 350mm & pointed 350mm

3 pcs SDS-max type drill 6/18/22mm x 320mm

VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	1250W
ROTATION SPEED	450min^{-1}
IMPACTS PER MINUTE	2800
RUBBER CABLE	4m
WEIGHT	± 6.8kg



Steel depth stop


FEATURES

- MAGNESIUM DIE-CAST
- 2 FUNCTIONS: HAMMERING & CHISELING
- SDS-MAX TYPE CHUCK
- DOUBLE VIBRATION REDUCTION (AVS)
- AUXILIARY HANDLE

FINISHING SANDER 250W

POWXQ5401

5 400338 042126 >



SWIVEL BALL CABLE RESTRAINT

5 YEAR WARRANTY



VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	250W
OSCILLATION SPEED	22000min^{-1}
SANDING SURFACE	90x184mm
RUBBER CABLE	4m




FEATURES

- MAGNESIUM DIE-CAST
- HOOK & LOOP SYSTEM
- 2 PAPER CLAMPS
- SWIVEL BALL CABLE RESTRAINT

BELT SANDER 1200W

POWXQ5406

5 400338 042133



SWIVEL BALL CABLE RESTRAINT

5 YEAR WARRANTY



VOLTAGE - FREQUENCY	230V~ 50Hz
RATED POWER	1200W
BELT SPEED	500m/min
SANDING SURFACE	100x210mm
BELT SIZE	610x100mm
RUBBER CABLE	4m




FEATURES

- MAGNESIUM DIE-CAST
- EXTERNAL BRUSH CAPS
- SWIVEL BALL CABLE RESTRAINT

ELECTRIC PLANER 800W

POWXQ5502

5 400338 042157 >





5 YEAR WARRANTY

VOLTAGE - FREQUENCY	230V~ 50Hz
RATED POWER	800W
ROTATION SPEED	15000min^{-1}
CUTTING WIDTH	82mm
MAX. CUTTING DEPTH	2mm
RUBBER CABLE	4m




FEATURES

- MAGNESIUM DIE-CAST
- DUST BAG
- SWIVEL BALL CABLE RESTRAINT

ANGLE GRINDER 950W 115mm


POWXQ5102

5 400338 042171



SWIVEL BALL CABLE RESTRAINT

5 YEAR WARRANTY



VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	950W
ROTATION SPEED	10500min-1
DISC SIZE	Ø115mm
RUBBER CABLE	4m

FEATURES


- MAGNESIUM DIE-CAST
- QUICK CLAMP SYSTEM
- SWIVEL BALL CABLE RESTRAINT

(DISC NOT INCLUDED)

ANGLE GRINDER 1300W 125mm

POWXQ5104

5 400338 042188 >



SWIVEL BALL CABLE RESTRAINT

5 YEAR WARRANTY





VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	1300W
ROTATION SPEED	9000min^{-1}
DISC SIZE	Ø125mm
RUBBER CABLE	4m

FEATURES


- MAGNESIUM DIE-CAST
- QUICK CLAMP SYSTEM
- SWIVEL BALL CABLE RESTRAINT

(DISC NOT INCLUDED)

ANGLE GRINDER 2450W 230mm

POWXQ5107

5 400338 042195 >



SWIVEL BALL CABLE RESTRAINT

5 YEAR WARRANTY



Spindle lock button



Soft grip

Magnesium die-cast

Auxiliary handle for 3 positions

Safety guard with quick clamp system

Soft start



(DISC NOT INCLUDED)

VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	2450W
ROTATION SPEED	6000min^{-1}
DISC SIZE	Ø230mm
RUBBER CABLE	4m


FEATURES

- MAGNESIUM DIE-CAST
- QUICK CLAMP SYSTEM
- SOFT START
- SWIVEL BALL CABLE RESTRAINT

JIGSAW 900W

POWXQ5302

5 400338 042119





5 YEAR WARRANTY

VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	900W
ROTATION SPEED	500-3000min^{-1}
PENDULAR POSITIONS	0/1/2/3
RUBBER CABLE	4m



FEATURES

- MAGNESIUM DIE-CAST
- LASER
- FITS ALL TYPES OF BLADES
- SWIVEL BALL CABLE RESTRAINT

CIRCULAR SAW 1350W

POWXQ5313

5 400338 042140



5 YEAR WARRANTY



VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	1350W
ROTATION SPEED	5000min^{-1}
BLADE SIZE	Ø185x20x2.4mm-24T
RUBBER CABLE	4m
MAX. CUTTING CAPACITY	90°: 62mm 45°: 41mm



(BLADE INCLUDED)


FEATURES

- MAGNESIUM DIE-CAST
- LASER
- SWIVEL BALL CABLE RESTRAINT

CIRCULAR SAW 1800W

POWXQ5315

5 400338 042164



SWIVEL BALL CABLE RESTRAINT

5 YEAR WARRANTY



VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	1800W
ROTATION SPEED	5000min^{-1}
BLADE SIZE	Ø210x30x2.4mm-24T
RUBBER CABLE	4m
MAX. CUTTING CAPACITY	90°: 74mm 45°: 55mm



(BLADE INCLUDED)

FEATURES


- MAGNESIUM DIE-CAST
- LASER
- SWIVEL BALL CABLE RESTRAINT

MITRE SAW 1500W 254mm

POWXQ5330

5 400338 042225 >

5 YEAR WARRANTY



Scale for accurate angle position vertical

VOLTAGE - FREQUENCY	**230V~ 50Hz**
RATED POWER	**1500W**
ROTATION SPEED	**4500min^{-1}**
BLADE SIZE	**Ø254x30x2.8mm-40T**
MAX. CUTTING CAPACITY (HxL)	
90° x 90°:	**75x130mm**
45° left x 90°:	**75x90mm**
45° right x 90°:	**75x90mm**
90° x 45°:	**50x130mm**
45° left x 45°:	**50x90mm**
45° right x 45°:	**50x90mm**





FEATURES

- **LASER**
- **2 METAL SIDE GUIDES** + ROLLERS
- **VERY ACCURATE** ANGLE POSITIONING
- **ADJUSTABLE CLAMP**

Also available in our assortment: suitable support stand

POWXQ53300T

p. 37


5 400338 042881 >

TELESCOPIC MITRE SAW 1800W 254mm

POWXQ5335

5 400338 042232

5 YEAR WARRANTY



VOLTAGE - FREQUENCY	230V~ 50Hz
RATED POWER	1800W
ROTATION SPEED	4500min^{-1}
BLADE SIZE	Ø254x30x2.8mm-40T
MAX. CUTTING CAPACITY (HxL)	
90° x 90°:	90x305mm
45° left x 90°:	90x215mm
45° right x 90°:	90x215mm
90° x 45°:	42x305mm
45° left x 45°:	42x215mm
45° right x 45°:	42x215mm





Also available in our assortment: suitable support stand

POWXQ53300T

p. 37

5 400338 042881

FEATURES


- **TELESCOPIC**
- **LASER**
- **2 METAL SIDE GUIDES** + ROLLERS
- **VERY ACCURATE** ANGLE POSITIONING
- **ADJUSTABLE CLAMP**

MITRE & TABLE SAW 2-IN-1 1800W 305mm

POWXQ5350

5 400338 042058

5 YEAR WARRANTY






VOLTAGE - FREQUENCY	230V~ 50Hz
RATED POWER	1800W
ROTATION SPEED	3800min^{-1}
BLADE SIZE	Ø305x30x2.8mm-48T
CUTTING CAPACITY TABLE SAW	50mm
MAX. CUTTING CAPACITY MITRE SAW (HxL)	
90° x 90°:	95x150mm
45° left x 90°:	70x100mm
45° right x 90°:	95x100mm
90°x 45°:	60x150mm
45° left x 45°:	45x70mm
45° right x 45°:	45x100mm

Table size
470 x 335mm

Parallel guide





FEATURES

- LASER & LIGHTING UNIT
- EXTENSION TABLES
- STURDY AND PRECISE ALU CAST CONSTRUCTION
- MAGNETIC ON/OFF SWITCH
- CIRCUIT BREAKER

Also available in our assortment: suitable support stand
POWXQ53300T
p. 37

5 400338 042881


TABLE SAW 1800W 254mm

POWXQ5360

5 400338 051524

Sliding mitre table


Table size: 645x530mm
with extensions: 850x860mm



5 YEAR WARRANTY

Blade raising & tilting control handle

Rip fence with magnifying lens



Storage compartments

Side table & rear table extension



VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	1800W
ROTATION SPEED	4500min^{-1}
BLADE SIZE	Ø254x30x2.8mm-40T
MAX. CUTTING CAPACITY	90°: 80mm 45°: 55mm





FEATURES

- SLIDING MITRE TABLE
- TABLE WITH EXTENSIONS mm & cm INDICATION
- STORAGE SPACE FOR ALL ACCESSORIES
- MAGNETIC ON/OFF SWITCH

Also available in our assortment: suitable support stand
POWXQ53600T
p. 37

5 400338 051531

TILE CUTTER 750W 180mm

POWXQ5320

5 400338 051180 >

5 YEAR WARRANTY

Table size
500x380mm



Cord retainer

PRCD (portable residual current device)

Bevel table
3 positions:
0° / 22.5° / 45°




Water reservoir
3.3 l

INCLUDED:
Folding stand

Comfortable working height 855mm

VOLTAGE - FREQUENCY	**230V~ 50Hz**
RATED POWER	**750W**
ROTATION SPEED	**2950min^{-1}**
BLADE SIZE	**Ø180x22.2x2.2mm**
MAX. CUTTING CAPACITY	**90°: 30mm 45°: 14mm**

Chrome plated table top



Rip guide
scale (mm)

Rip & mitre guide

FEATURES

- **CHROME PLATED TABLE TOP**
- **CABLE STORAGE**
- **PRCD**
- **COMFORTABLE WORKING HEIGHT (STAND INCLUDED)**

CUT-OFF SAW 2000W 355mm

POWXQ5390

5 400338 051241 >





5 YEAR WARRANTY

VOLTAGE - FREQUENCY	230-240V~ 50Hz
RATED POWER	2000W
ROTATION SPEED	3500min-1
BLADE SIZE	Ø355x25.4x3mm
MITRE ANGLE	30°/45°
MAX. CUTTING CAPACITY	

	90°	45°
○	Ø100mm	Ø80mm
□	100x100mm	60x60mm
▭	120x95mm	85x60mm
L	100x100mm	60x60mm



FEATURES

- HIGH QUALITY CUTTING BLADE INCLUDED
- D-SHAPED HANDLE
- EASY CLAMPING SYSTEM
- STURDY BASE PLATE

HEAT GUN **2000W**

POWXQ6104

5 400338 051500 >

5 YEAR WARRANTY



VOLTAGE - FREQUENCY	220-240V~ 50Hz
RATED POWER	2000W
CABLE LENGTH	4m
TEMPERATURE & AIR FLOW	

I: 50°C • 300 l/min
II: 400°C • 300 l/min
III: 600°C • 500 l/min



FEATURES

- CONSTANT HEAT CONTROL
- MIN. LIFETIME 400h
- WITH THERMO PROTECTOR CUT-OUT
- COOL ZONE

HEAT GUN 2000W

POWXQ6110

5 400338 051517 >

5 YEAR WARRANTY



VOLTAGE - FREQUENCY	220-240V~ 50Hz
RATED POWER	2000W
CABLE LENGTH	4m
TEMPERATURE & AIR FLOW	

I: 50°C • 250-500 l/min
II: 50-650°C • 250-500 l/min



FEATURES

- CONSTANT HEAT CONTROL
- ELECTRONIC VARIABLE TEMPERATURE & AIR FLOW
- LCD DISPLAY WITH TEMPERATURE & AIR FLOW INDICATOR
- MIN. LIFETIME 450h
- WITH THERMO PROTECTOR CUT-OUT
- COOL ZONE

COMPRESSOR 1600W 2.5HP 10 bar 24L

POWXQ8105

5 400338 047237 >

5 YEAR WARRANTY



OIL NOT INCLUDED

VOLTAGE - FREQUENCY	220-240V~ 50Hz
RATED POWER	2.5HP / 1600W
AIR FLOW	250 l/m
RATED PRESSURE	10 bar
TANK	24 l
UNIVERSAL COUPLERS	2x





■ **POWOIL012**
Compressor oil
1 l

5 400338 041785 >

FEATURES

- **5m RUBBER HOSE**
- **LUBRICATED PUMP**
- **UNIVERSAL COUPLERS**
- **RUBBER WHEELS**

COMPRESSOR 2200W 3HP 10 bar 50L

POWXQ8125

5 400338 047220

5 YEAR WARRANTY



VOLTAGE - FREQUENCY	220-240V~ 50Hz
RATED POWER	3HP / 2000W
AIR FLOW	270 l/m
RATED PRESSURE	10 bar
TANK	50 l
DIRECT COUPLER	1x
UNIVERSAL COUPLER	1x

OIL NOT INCLUDED



FEATURES

- BELT DRIVEN PUMP
- DIRECT COUPLER
- UNIVERSAL COUPLER
- RUBBER WHEELS



POWOIL012

POWOIL012

Compressor oil
1 l

5 400338 041785

CLAMPING STAND

POWXQ9100

5 400338 052514 >

Jawzilla

5 YEAR WARRANTY





INSTRUCTION MOVIE ON WEBSITE
WWW.POWERPLUSXQ.COM





CLAMPING RANGE	0-450/0-950mm
CLAMPING FORCE	max. 10000N
LOAD	max. 150kg
CLAMPING METHOD	foot pedal
CLAMP TRAVEL (PER STROKE)	24mm/step







FEATURES

- STABLE TRIPOD BASE
- EASY CLAMP SYSTEM
- REVERSIBLE BACK CLAMP
- FOLDABLE & COMPACT STORAGE

SUPPORT STAND

POWXQ53300T

5 400338 042881 >

Table size 580x520mm



Table height 840mm

Adjustable leg



FEATURES

- STEEL TABLE
- STEEL STAND
- ADJUSTABLE LEG TO STABILISE THE TABLE

SUITABLE FOR MITRE AND TABLE SAWS



POWXQ5330 &



POWXQ5335 &



POWXQ5350

SUPPORT STAND FOR TABLE SAW POWXQ5360

POWXQ53600T

5 400338 051531 >

FEATURES

- FOLDABLE
- VERY SOLID
- EASY LIFTING WITH TURNING WHEEL

Extendable handle





Table size 710x540mm

Big solid wheels Ø200mm with brakes

MULTITOOL 15-IN-1

POWXQ9756

5 400338 049309 >





Screwdrivers
Knives
File
Fish hook remover

Scissors
Saw blade
Can opener
Bottle opener

Pliers
Wire cutter



FEATURES

- 15-IN-1 FUNCTIONS
- STAINLESS STEEL CONSTRUCTION
- FOLDS CLOSE TO 100mm
- NYLON BELT POUCH

RETRACTABLE UTILITY KNIFE

POWXQ9753

5 400338 049286 >



Slide back for safe storage & blade protection





5 replacement blades included

Sure-grip aluminium handle with belt clip

FEATURES

- ONE HANDED ACTION & SAFETY MECHANISM
- SAFE STORAGE & BLADE PROTECTION
- QUICK BLADE RELEASE FOR EASY CHANGING

METAL BOX 120L

POWXQ9255

5 400338 043260 >

800x450x335mm

120 l



Content
not included

FEATURES

- **THICKNESS: 0.5mm**
- **NET WEIGHT: 8.5kg**
- **CUBAGE: 120 l**



ARTCAT14020049 PRINTED FEBRUARY 2014

5 400338 066528

VIC. VAN ROMPUY nv

JOSEPH VAN INSTRAAT 9
2500 LIER - BELGIUM
TEL +32 (0)3 292.92.92
FAX +32 (0)3 292.92.72
E-MAIL: INFO@VARO.COM
WWW.VARO.COM

OFFICES:
IBERICA BRICOLAGE S.L. - ESPAÑA
ASIA PACIFIC HONG KONG Ltd / SHANGHAI PRC
AUSTRALIA Pty Ltd / GERMANY GmbH



POWERPLUS® HIGH QUALITY TOOLS XQ

5 YEAR WARRANTY